

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S531	223626	((established existing confirmed identified provided settled validated) near3 (path \$1 link\$1 connection\$1 rout\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S532	334802	((topolog\$3 configuration\$1 link\$1state (link adj state\$1)) near3 (information\$1 configuration data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S533	2703	((established existing confirmed identified provided settled validated) near3 (path \$1 link\$1 connection\$1 rout\$4)) with (map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S534	2415	((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1)) with (map\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S535	258116	((topolog\$3 configuration\$1 link\$1state (link adj state\$1)) near2 (information\$1 configuration\$1 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S536	16041	((topolog\$3) near2 (information\$1 configuration\$1 data discover\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S537	2365	((topolog\$3 configuration\$1 link\$1state (link adj state\$1)) near2 (information\$1 configuration\$1 data)) same ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11

S538	16	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1)) with along	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S539	1573	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S540	2312	select\$3 with (node\$1 ne element\$1 router\$1 switch\$2) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S541	2364	(choos\$3 select\$3) with (node\$1 ne element\$1 router\$1 switch\$2) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S542	1978	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S543	89	(topolog\$3 same (spanning adj2 tree\$1)) and ((collected gathered determined analyzed tested) with ((network\$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S544	383	(next adj2 (node\$1 ne element\$1 router\$1 switch\$2)) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11

S545	2	"7024483".pn. and (next near2 node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S546	38	S539 and S540	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S547	139	S533 and S536	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:11
S548	1978	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:18
S549	5707	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collect \$3 gather\$3 determin \$3 analyz\$3 test\$3) with ((network\$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:18
S550	3945	quer\$4 with ((establish \$3 exist\$3 identif\$4) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:18
S551	1573	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:18
S552	109	(S550 S551) and S549	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:18

S553	2953	((select\$3 choos\$3) with (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:18
S554	3947	quer\$4 with ((establish \$3 exist\$3 identif\$5) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:18
S555	58	S553 and S554	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:18
S556	3293	((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near4 (information \$1 configuration\$1 data)) same ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:18
S557	157	S553 and S556	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:18
S558	1083	370/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S559	6827	370/252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S560	5174	370/342.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32

S561	1084	370/345.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S562	468	370/395.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S563	552	370/395.31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S564	4691	709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S565	2105	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S566	1456	709/222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S567	11666	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S568	4841	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S569	3640	709/228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S570	5419	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32

S571	880	370/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S572	608	370/218.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S573	410	370/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S574	4841	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S575	751	370/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S576	3231	370/230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S577	972	370/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S578	4136	370/235.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S579	1227	370/236.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S580	144	370/236.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32

S581	210	370/241.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S582	1564	370/242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S583	646	370/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S584	385	370/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S585	52975	S558 S559 S560 S561 S562 S563 S564 S565 S566 S567 S568 S569 S570 S571 S572 S573 S574 S575 S576 S577 S578 S579 S580 S581 S582 S583 S584	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:32
S586	9114	((establish\$4 exist\$4 confirm\$4 identif\$6 provid\$3 settl\$2 validat \$3) near3 (path\$1 link \$1 connection\$1 rout \$4)) with (map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:33
S587	420170	(topolog\$3 configuration \$1 link\$1state (link\$1 adj state\$1)) near4 (information\$1 configuration\$1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:33
S588	2562	S586 and S587	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:33
S589	322	S585 and S588	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:33

S590	1978	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:51
S591	9041	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collect \$3 gather\$3 determin \$3 analyz\$3 test\$3) with ((network\$3 topolog\$3) near4 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:51
S592	5481	((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near2 (information \$1 configuration\$1 data)) same ((establish \$3 exist\$3 identif\$6) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:51
S593	997	S585 and S592	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:51
S594	152	S593 and S591	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:51
S595	445	S585 and S590	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:52

S596	16	("6157955" "6205488" "6332163" "6539483" "6606660" "6631416" "6671724" "6678827" "6701358" "6732176" "6751729" "7028183" "7136374").PN. OR ("7373660").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/12 09:52
S597	38	("5276789" "5394522" "5671355" "5684967" "5687315" "5715432" "5751962" "5754831" "5793958" "5793974" "5809265" "5809282" "5812779" "5821937" "5831610" "5831618" "5838907" "5889520" "5907696" "5910803" "5933601" "5958012" "5966128" "5974127" "6009466" "6018769" "6020889" "6058260" "6058262" "6108309" "6363334" "6477572" "6643837" "6651062" "RE36444").PN. OR ("6996510").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/12 09:52
S598	12	("20020042274" "20020073338" "20020141346" "20030140165" "20030172180" "5453978" "6047331" "6631421" "6678241" "6765880").PN. OR ("6992988").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/12 09:52
S599	3945	quer\$4 with ((establish \$3 exist\$3 identif\$4) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:52

S600	374	S585 and S599	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:52
S601	7828	((path\$1 link\$1 connection\$1) near2 topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:52
S602	3840	((select\$3 choos\$3) near3 (node\$1 element \$1 ne\$1 router\$1 switch \$3)) with quer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:52
S603	76	S601 and S602	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:52
S604	24059	((path\$1 link\$1 connection\$1) with topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:53
S605	198	S604 and S602	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:53
S607	5209	((select\$3 choos\$3) near3 (node\$1 element \$1 ne\$1 router\$1 switch \$3)) with (quer\$4 ask \$3 inquir\$4 enquire\$4 rege\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:53
S608	96	S601 and S607	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:53
S609	236	S604 and S607	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:53

S610	31	("20020042693" "20030204509" "20030204623" "20030204786" "5666486" "6108699" "6167490" "6192401" "6477172" "6567808" "6718394" "6748429" "6801937" "6847993").PN. OR ("7024483").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/12 09:53
S611	46	("5049873" "5063523" "5123098" "5136690" "5185860" "5276789" "5414812" "5453980" "5455952" "5463628" "5473608" "5488715" "5491796" "5509123" "5539886" "5561769" "5568605" "5651006" "5655081" "5689645" "5706508" "5758083" "5774669" "5848243" "5910803" "5926463" "5960439" "6018344" "6208977" "6225999" "6253240" "6256295" "6314093" "6370119" "6377987" "6396810" "6411946" "6456306" "6574663" "6639900" "6775243" "6842425").PN. OR ("7003559").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/12 09:53
S612	6719	(receiv\$3 near2 request) and (quer\$5 with (information configuration)) and (receiv\$3 with (information configuration)) and (compar\$4 with (information configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:53

S613	10670	(receiv\$3 near2 request) and ((quer\$4 ask\$3 inquire\$4 request\$4) with (information configuration)) and (receiv\$3 with (information configuration)) and (compar\$4 with (information configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:53
S614	3290	((rout\$3 switch\$4) near3 (information configuration)) and S613	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:54
S615	313	S585 and S614	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 09:54
S616	112978	(compar\$5 determin\$6 match\$3) with (configuration\$1 information\$1) with (identifier\$1 id\$1 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:13
S617	24063	(quer\$4 ask\$3 inquire\$4 enquire\$4 request\$4) with (rout\$3 switch\$3 near5 (information\$1 configuration\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:13
S618	502	S616 same S617	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:13
S619	4294	S616 and S617	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:13
S620	481	S585 and S619	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:13
S621	918	S618 S620	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:13

S622	6	("5185860" "5276789" "5905711" "5926463" "5926463" "6327677" "6684237").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/12 10:13
S623	21	("20020091857" "20020196802" "4864559" "5361256" "5675741" "5828665" "5917820" "5926463" "6078590" "6101180" "6331983" "6374303" "6415312" "6502140" "6563830" "6567929" "6597703" "6785240" "6839348" "7170885" "7181526").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/12 10:14
S624	22547	(request\$4 with (connection\$1 path\$1 link\$1)) with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:14
S625	7828	((path\$1 link\$1 connection\$1) near2 topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:14
S626	280	S624 and S625	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:14
S627	36	(US-20050050225-\$ or US-20030033427-\$ or US-20010017843-\$ or US-20040233859-\$ or US-20050111366-\$ or US-20030097468-\$ or US-20040120270-\$ or US-20030043820-\$ or US-20030236870-\$). did. or (US-7068667-\$ or US-7003559-\$ or US- 6286038-\$ or US- 6778524-\$ or US- 7373660-\$ or US- 6246669-\$ or US- 6836463-\$ or US- 6915340-\$ or US- 6996510-\$ or US- 6614765-\$ or US-	US-PGPUB; USPAT	OR	OFF	2010/08/12 10:14

		7263552-\$ or US- 5606669-\$ or US- 6339587-\$ or US- 6584502-\$ or US- 5942989-\$ or US- 5881048-\$ or US- 7050404-\$ or US- 7024483-\$ or US- 5870558-\$ or US- 6539427-\$ or US- 6137782-\$ or US- 6992988-\$ or US- 4825206-\$ or US- 5185860-\$ or US- 5408618-\$ or US- 5946379-\$).did. or (US- 6898183-\$).did.				
S628	2	((HO-KEUNG) near2 (LEE)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/12 10:14
S629	12715	lucent.as.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/12 10:15
S630	23079	((established existing confirmed identified provided settled validated) near3 (path \$1 link\$1 connection\$1 rout\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15
S631	12716	S628 S629	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15
S632	313	S630 and S631	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15
S633	233756	(network\$4 near4 (management\$1 manag \$4 monitor\$3 administrat\$6)) ((nems nms ems) same (management\$1 manag \$4 monitor\$3 administrat\$6) same (network\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15

S634	92600	((signal\$1 alert\$1 alarm\$1 message\$1) with ((active\$1 establish\$3 confirm\$3 identified provid\$3 exist\$3) near4 (path\$1 link\$1 connection\$1 route\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15
S635	24709	(quer\$4 ask\$3 inquir\$4 enquire\$4 request\$4) with (rout\$3 switch\$3 near5 (information\$1 configuration\$1 topolog\$4 connection\$1 link\$1 path\$1 performance\$1 parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15
S636	3492	S634 and S635	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15
S637	1896	S633 and S636	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15
S638	729709	(determin\$3 formulat\$3 map\$3 graph\$4 compos\$4 chart\$3 model\$3 layout\$1 outlin\$4) with (path\$1 link\$1 connection\$1 route\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15
S639	1699	S637 and S638	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15
S640	203617	(rout\$3 switch\$3 near5 (information\$1 configuration\$1 topolog\$4 connection\$1 link\$1 path\$1 performance\$1 parameter\$1)) same S638	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15
S641	1443	S639 and S640	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15

S642	106245	(formulat\$3 map\$3 graph\$4 compos\$4 chart\$3 model\$3 layout\$1 outlin\$4) with (path\$1 link\$1 connection\$1 route\$1) with (rout\$3 switch\$3 near\$5 (information\$1 configuration\$1 topolog\$4 connection\$1 link\$1 path\$1 performance\$1 parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15
S643	559	S641 and S642	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:15
S644	1	"779442".ap. and medi\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/08/12 10:55

8/ 12/ 2010 5:06:49 PM

C:\ Documents and Settings\ rpasia\ My Documents\ EAST\ Workspaces\ 10779442rce.wsp